

Severe diarrhea

Cold, clammy skin

Surgery/ Anesthesia

Fast heart beat /breathing

## Cortisol (Adrenal) Insufficiency Action Plan

Date:	Completed by:
	Jempieted by.

Cortisol is an important hormone used by the body for energy. It keeps the body's systems running smoothly. Extra cortisol is needed when the body is sick or injured. If the child's body does not have enough cortisol, their blood pressure and blood sugar may become low. This is called an adrenal crisis. Without treatment, an adrenal crisis can lead to unconsciousness, coma and even death.

, and over death.	
CHILD'S CONDITION	ACTION
Green Zone:  Very well  Daily dosing	Take:
	Always wear identification to say you have adrenal insufficiency (e.g. Medic Alert)
Yellow Zone:	Hydrocortisone/Cortef® Stress Dosing
<ul> <li>Moderate Stress</li> <li>Fever greater than 38C or 101F</li> <li>Vomiting once</li> <li>Infections: e.g. bad head cold, strep throat, chest or ear infection</li> <li>Broken bone/severe muscle sprain</li> <li>Very intense exercise.</li> </ul>	Take every 8 hours (3 times a day) for 3 days. Try to spread the medicine evenly over the day (i.e. 7am, 3pm, 10pm).  Low blood sugar and salt loss can occur with illness or minor injuries. In addition to the stress dose, increase your child's intake of sugar containing fluids and salts (e.g. juice, non-diet Gatorade®). Ensure your child eats some carbohydrate containing foods (e.g. salty crackers, toast with peanut butter). Avoid Pedialyte® alone since it has very little sugar.  Resume usual dose after 3 days if well. If not, call Endocrine team.
Red Zone: Severe Stress  Looks unwell/very pale Unconscious Weakness / dizziness Extreme tiredness Vomits more than once in 6 to 8 hours	IMMEDIATELY GIVE INJECTION (NEEDLE)  Hydrocortisone/Solu-Cortef® mg  1) Inject into the child's thigh or arm as you were taught 2) Go the nearest Emergency Department, or call 911 3) Show Emergency staff this sheet 4) Page Endocrinology team at number below*

If you have non-urgent questions call the Endocrine Nurses (902) 470-8127. \*In an emergency call

You will not harm your child by giving the Solu-Cortef®

If your child needs surgery or sedation for a procedure, notify the endocrine office AND ask the treating doctor to consult Endocrinology, as higher doses of hydrocortisone are needed.

the IWK at (902) 470-8888 or Toll Free 1-888-470-5888 and ask for the Endocrinologist on call.

injection.